optiprint

tray

3D printing resin for additive manufacturing of customized trays

Safety Data Sheet

Created on: 29.11.2021

Valid from: 29.11.2021

Signal word: hazard

1. Description of the substance or mixture and the company

1.1. Product identifier: Additive plastic

1.2 Application: Methacrylate-based resin 3D printing systems with 385 nm or 405 nm light sources for for additive manufacturing of customized trays.

1.3 Manufacturer: dentona AG Otto-Hahn-Str. 27 44227 Dortmund Tel.: 0049 231 5556 0 Fax: 0049 231 5556 30 E-mail: info@dentona.de Internet: www.dentona.net

1.4 Emergency number: 0049 231 5556 0 (Mon. - Fri. 8:00am - 5:00pm) Austria: +43 1 406 43 43, +43 1 406 68 98 Belgium: +32 070 245 245 Bulgaria: +359 2 9154 409 Croatia: +385 1 2348 342 Cyprus: +357 22 408 636, +357 22 408 669 Czech Republic: +420 224 919 293 Denmark: +45 82 12 12 1 2 Estonia: +372 16662 Finland: +358 0800 147 111, +358 9 471 977 France: +33 (0)1 45 42 59 59, +33 (0)1 45 42 59 59 Greece: +30 2107793777 Hungary: +36 (80) 201-199 Iceland: +354 543 2222, +354 543 1000 Ireland: +353 1 809 2166 (8-22h, 7/7) Italy: +3902-66101029, +3906 68593726 Latvia: +371 67042473 Liechtenstein: +423 236 64 00 Lithuania: +370 8 5 236 20 52 Luxembourg: +352 8002-5500 Netherlands: +31 30 274 88 88 Norway: +47 22 59 13 00 Poland: +48 22 619 66 54 Portugal: +351 808 250 143 Romania: +40 21318 3606 Slovakia: +421 2 54 77 4 166 Slovenia: +386 41 650 500 Spain: +34 915620420, +34 917689800 Sweden: 08-331231 (Måndag-Fredag; 9.00-17.00, 112 24h) UK: 0844 892 0111 (UK only, Monday to Friday, 08.00-18.00)

2. Potential hazards

Safety data sheet: dentona optiprint tray (EN)

2.1 Classification of substance or mixture according to Regulation (EC) No. 1272/2008:

Aquatic chronic Cat. 2 H413

2.2. Identifying elements according to Regulation (EC) No. 1272/2008: Symbols and signal word of product



Signal word: hazard

Hazard warnings:

H315	Causes skin irritation
H413	Toxic to aquatic life with long lasting effects

Safety Tips:

P273	Avoid release to the environment
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P313	Get medical advice / attention.
P501	Dispose of contents/containers in accordance with local regulations.

2.3 Other hazards:

3. Composition / information on ingredients

3.1 Substances

This product is a mixture

3.2 Mixtures

Composition / information on ingredients

Reagent	Percentage	EC No.: CAS No. REACH Registration No.	Classification according to Regulation (EC) No. 1272/2008	Hazard class category	and
Difunktionale Methacrylate	< 99	Company Secret	H413	Aquatic Chronic	4
Phosphine oxide	< 2	Company Secret	H317 H361 H411	Skin Sens Repr Aquatic chronic	1 2 1

4. First aid measures

4.1 Description of first aid measures

General information: Immediately remove stained and soaked clothing. In all cases of doubt of if symptoms are present, seek medical advice.

If consciousness is lost, place in the recovery position and seek medical advice.

After inhalation: Ensure that there is fresh air. If the product irritates the respiratory tract: Consult a doctor. **After contact with skin:** Wash out and rinse with plenty of soap and water.

After contact with eyes: In the event of contact with the eyes, remove contact lenses and immediately rinse with running water for 10-15 minutes while keeping the eyes open, and see an eye specialist.

After swallowing: Never administer something orally to an unconscious person or someone who is experiencing cramps. Consult a doctor immediately. Prevent vomiting.

4.2 The most significant acute and delayed occurring symptoms and impact

Skin contact: May cause an allergic skin reaction.

4.3 Information about emergency medical aid or special treatment

Note for the physician: Treat symptomatically

5. Fire-fighting procedures

5.1. Solvents

Suitable solvents: Water spray, foam, dry fire extinguisher or carbon dioxide. Unsuitable solvents: Do not use a water jet as an extinguishing agent, as this will cause the fire to spread.

5.2. Particular hazards arising from substance or mixture

Hazardous decomposition products: Thermal decomposition or combustion products may contain the following substances: Carbon oxides.

5.3. Information for fire-fighting:

Safety precautions during fire-fighting: No actions should be taken without appropriate training or which are associated with personal risk.

Particular protective equipment for fire-fighters: Wear self-contained breathing apparatuses (SCBA) and suitable protective clothing.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: At work, wear suitable protective clothing, including gloves, safety goggles / face guard, respiratory protection, boots, or other clothing or an apron as appropriate.

Suitable respiratory protection in the event of inadequate ventilation.

6.2. Environmental protection measures

Environmental protection measures to prevent discharge into the environment.

6.3. Methods and material for retention and cleaning

Methods for cleaning: No smoking, sparks, flames or other ignition sources near spillages. Bind leaked material with sand or another inert absorbent. Collect it and fill a suitable disposal bin, then seal securely. Containers with collected spilled material must have the correct hazard labeling. Spillages must be collected and disposed of in accordance with the information in Section 13.

6.4. Reference to other sections

Reference to other sections: For information on personal protective equipment, see Section 8. Section 13 contains information about waste disposal.

7. Handling and storage

7.1. Safety precautions for safe handling

Safety precautions during use: Avoid contact with the eyes and skin. Wash contaminated skin thoroughly after handling. The hands and all contaminated parts of the body must be washed with soap and water before leaving the factory premises. Keep away from heat, sparks and open flame. Mechanical suction is required if dust is discharged during handling. Open and handle containers with care. At work, wear suitable safety equipment in the event of longer exposure and / or high concentrations of vapors, spray or mist.

General work hygiene measures

When using the product, do not eat, drink or smoke.

7.2. Conditions for safe storage, taking cases of incompatibility into account Safety precautions for storage

Store in a cool and dry place in a tightly sealed original container.

Store at temperatures between 5°C and 30°C. Keep away from frost and direct sunlight. Keep away from hot surfaces, sparks, open flames and other types of ignition sources. Do not smoke.

7.3. Specific end uses

Intended end use(s)

The intended uses of this product are described in Section 1.2.

8. Limitation and monitoring of exposure/personal protective equipment

8.1 Parameters to be monitored:

No maximum allowable concentration(s) is/are known for the ingredient(s).

8.2 Limitation and monitoring of exposure

Protective equipment



Suitable technical controller:

Adequate room ventilation and local aspiration must be ensured. The maximum allowable concentration of the product or ingredients must be observed.

Eye/face protection:

Eye protection corresponding to a recognized standard should be worn if a risk assessment shows that eye contact is possible. The following personal protective clothing should be worn: Chemical safety goggles. Wear close-fitting chemical safety goggles or face protection.

Hand protection:

Wear protective gloves. In accordance with the data specified by the protective glove manufacturers, it is required while using them to check whether the gloves maintain their repellent properties and to change them as soon as damage is detected. In the case of exposure up to 8 hours, protective gloves made of the following material must be worn: Nitrile rubber.

Other skin and personal protection:

Avoid contact with the skin. Wear suitable clothing to prevent possible skin contact.

Hygiene measures:

Wash contaminated skin thoroughly after handling. Before removing the clothing, wash contaminated clothing and skin immediately with plenty of water. Immediately remove all contaminated garments and wash before

wearing them again. Contaminated work clothing should not be allowed out of the workplace. When using the product, do not eat, drink or smoke.

Respiratory protection:

If ventilation is inadequate, suitable respiratory protection must be worn. Wear a protective mask with full face protection and the following filter cartridge: Filter against organic vapors. Highly effective particle filters.

9. Physical and chemical properties

9.1 Information about the fundamental physical and chemical properties

Appearance Odor Color Melting point Initial boiling point and boiling	Value Liquid Ester Various gingiva colors Not determined Not determined	Unit
range Flash point Inflammability (solid, gaseous) Upper/lower inflammability or explosion limits	> 250 Not determined Not determined	°C
Vapor pressure Relative density Solubility Soluble in most organic solvents	Not determined 1.12 Insoluble in water	g/cm³
Viscosity pH	Approx. 700-1200 6-8	Pa s

9.2 Other information

Molecular weight 496

10. Stability and reactivity

10.1 Reactivity Reactivity: No information is available

10.2 Chemical stability

Stability: Stable at normal room temperatures

10.3 Possible hazardous reactions

Possible hazardous reactions May polymerize

10.4 Conditions to be avoided

Incompatible conditions: Reaction with light, risk of polymerization. Keep away from heat, flames and other ignition sources. Do not expose to high temperatures or direct sunlight. Avoid contact with strong oxidizers

10.5 Incompatible materials

Incompatible materials Keep away from radical-forming initiators, peroxides, strongly alkaline substances and reactive metals to prevent exothermic polymerization reactions.

10.6 Hazardous decomposition products

Hazardous decomposition products: Carbon oxides

11. Toxicological information

11.1 Information about toxicological effects

Safety data sheet: dentona optiprint tray (EN)

Difunktionale Methacrylate (at 100%)	
Acute toxicity – oral LD ₅₀	>2000 mg/kg, oral, Ratte
Acute toxicity – dermal LD ₅₀	>2000 mg/kg, dermal, Ratte
Acute toxicity – inhalative LC ₅₀	No information available
Caustic/irritant effect on the skin	Nicht reizend
Severe eye damage/irritation	Nicht reizend
Respiratory tract sensitization	No information available
Skin sensitization	Nicht sensibilisierend
Germ cell mutagenicity / genotoxicity - in vitro	Gen-Mutation: Negativ.
Carcinogenicity	No information available
Reproductive toxicity - fertility	Fruchtbarkeit - NOAEL 1000 mg/kg
	KG/Tag, Oral, Ratte F1
Reproductive toxicity - Development	STOT - wiederholte Exposition NOAEL
	300 mg/kg KG/Tag, Oral, Ratte
Phosphine oxide (at 100%)	
Acute toxicity – oral LD ₅₀	No information available
Acute toxicity – dermal LD ₅₀	>2000 mg/kg, dermal, rat
Acute toxicity – inhalative LC ₅₀	No information available
Caustic/irritant effect on the skin	No information available
Severe eye damage/irritation	No information available
Respiratory tract sensitization	No information available
Skin sensitization	No information available
Germ cell mutagenicity / genotoxicity - in vitro	No information available
Carcinogenicity	No information available
Reproductive toxicity - fertility	Suspected of damaging fertility or the unborn child
Reproductive toxicity - Development	No information available
Specific target organ toxicity (repeated exposure)	No information available

12 Environment-related information 12.1 Toxicity

Aliphatic difunctional methacrylate (at 100%)

Acute toxicity - fish Acute toxicity - invertebrate aquatic animals Acute toxicity - aquatic plants Acute toxicity - microorganisms

Phosphine oxide (at 100%)

Acute toxicity - fish Acute toxicity - invertebrate aquatic animals Acute toxicity - aquatic plants Acute toxicity - microorganisms **12.2. Persistence and degradability**

The product is not easily biodegradable.

LC50, 96 hours: 100 mg/l, Brachydanio rerio (zebrafish) EC₅₀, 48 hours: >100 mg/l, Daphnia magna NOEC, 72 hours 100 mg/l, Desmodesmus subspicatus NOEC, 28 days: 14.3 mg/l, activated sludge

No information available No information available No information available No information available

12.3. Bioaccumulation potential

Difunctional methacrylate (at 100%)	
Distribution coefficient	log Kow: 5.30-5.62
Phosphine oxide (at 100%)	
Distribution coefficient	No information available

12.4 Mobility on the ground

Difunctional methacrylate (at 100%)	
Adsorption/desorption coefficient	- Log Koc: 3.69~3.88 @ 20°C

Phosphine oxide (at 100%)	
Adsorption/desorption coefficient	No information available

12.5 Results of PBT and vPvB assessment

Difuctional methacrylate
This substance must not be classified as PBT or vPvB in accordance with the
currently valid EU classification criteria.

Phosphine oxide

No information available

13. Disposal instructions

13.1 Procedure for waste disposal

Proper disposal/product

Disposal in accordance with regulatory requirements.

Proper disposal/packaging

May be disposed of in accordance with local regulatory requirements.

Ecology - waste materials

Avoid discharge into the environment

14. Transport information

14.1 UN No. none

14.2 Proper UN shipping name none

14.3 Transport hazard classes No dangerous goods pursuant to transportation regulations.

14.4 Packaging group

none

14.5 Environmental hazards none

14.6 Special precautions for transport none

14.7 Bulk transport in accordance with Annex II of the MARPOL Convention 73/79 pursuant to IBC Code No

15. Legal regulations

15.1. Regulations on safety, health and environmental protection/specific laws for the substance or mixture

EU regulations

Information about Regulation (EC) No. 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register: irrelevant

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer: irrelevant

Regulation (EC) No. 648/2004 on detergents: irrelevant

Regulation (EC) No. 850/2004 [POP regulation]: irrelevant

Regulation (EU) No. 649/2012 concerning the import and export of hazardous chemicals:

irrelevant

Restriction on use in accordance with REACH Annex XVII No.: irrelevant

National regulations

National regulations must also be observed.

Instructions on employment restriction: No information is available.

Major Accidents Ordinance Not subject to the German Major Accidents Ordinance.

Solvent Ordinance (31st Federal Immission Protection Ordinance [BImSchV]): irrelevant

Storage class

10-13 Other flammable and non-flammable substances.

Water hazard class (WHC) 1 slightly hazardous to water (WHC 1)

Technical Instructions on Air Quality Control (TA-Luft) Not subject to the Technical Instructions on Air Quality Control.

Other regulations, restrictions and prohibition ordinances None

15.2. Chemical safety assessment

A chemical safety assessment was carried out for this preparation.

Chemical safety assessments were not carried out for substances in this mixture.

16. Other information

Text of H and P phrases (number and full text)

H phrases Text

Safety data sheet: dentona optiprint tray (EN)

H315	Causes skin irritation
H413	Toxic to aquatic life with long lasting effects
	- .
P phrases	Text
P273	Avoid release to the environment
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice / attention.
P501	Dispose of contents/containers in accordance with local regulations.

Training tips

None

Recommended restriction(s) on use:

No special measures are required.

Data sources:

REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No. 1907/2006.

Further information:

REJECTION OF LIABILITY We have obtained the information in this data sheet from sources that we consider reliable. The accuracy of expressed or implied information cannot be guaranteed. The conditions or methods for handling, storage, use or disposal of the product are beyond our control and possibly also our knowledge. For these and other reasons, we accept no responsibility and expressly reject liability for any losses, damage or costs that may arise from handling, storage, use or disposal of the product or that may be associated therewith in any way. This Safety Data Sheet was created for this product and may only be used for this product. If the product is used as a component of another product, the information indicated in the data sheet may not apply.

This information is based on our current knowledge and should only describe the product with regard to health, safety and environmental conditions. It must therefore not be construed as a guarantee for any specific property of the product.